

NEW Shared & Interconnected ASL Resources: SignStream® 3 Software; DAI 2 for Web Access to Linguistically Annotated Video Corpora; and a Sign Bank

Carol Neidle¹, Augustine Opoku², Gregory Dimitriadis², and Dimitris Metaxas²

[1] Boston University Linguistics Program, [2] Rutgers University Computer Science Department
[1] 621 Commonwealth Ave., Boston, MA 02215; [2] 110 Frelinghuysen Rd., Piscataway, NJ 08854-8019
carol@bu.edu, augustine.opoku@gmail.com, gregdimi@cs.rutgers.edu, dnm@cs.rutgers.edu

Abstract

2017 marked the release of a new version of SignStream® software, designed to facilitate linguistic analysis of ASL video. SignStream® provides an intuitive interface for labeling and time-aligning manual and non-manual components of the signing. Version 3 has many new features. For example, it enables representation of morpho-phonological information, including display of handshapes. An expanding ASL video corpus, annotated through use of SignStream®, is shared publicly on the Web. This corpus (video plus annotations) is Web-accessible—browsable, searchable, and downloadable—thanks to a new, improved version of our Data Access Interface: DAI 2. DAI 2 also offers Web access to a brand new Sign Bank, containing about 10,000 examples of about 3,000 distinct signs, as produced by up to 9 different ASL signers. This Sign Bank is also directly accessible from within SignStream®, thereby boosting the efficiency and consistency of annotation; new items can also be added to the Sign Bank. Soon to be integrated into SignStream® 3 and DAI 2 are visualizations of computer-generated analyses of the video: graphical display of eyebrow height, eye aperture, and head position. These resources are publicly available, for linguistic and computational research and for those who use or study ASL.

Keywords: American Sign Language (ASL), linguistically annotated video corpora, annotation software, sign bank

1. Introduction

We report here on several new, interconnected, publicly shared, resources for linguistic and computational analysis of video data from American Sign Language (ASL), developed in conjunction with the American Sign Language Linguistic Research Project (ASLLRP):

- We have released in 2017 a new, improved version of **SignStream®**, the Mac OS software we have been developing for linguistic annotation of ASL video data.¹
- The annotated corpora are then made available on the Web for viewing, browsing, searching, and downloading via a Web interface that we have developed, our **Data Access Interface (DAI) 2**.² The datasets can be downloaded and further analyzed using the SignStream® 3 software that is shared publicly.
- Both SignStream® 3 and DAI 2 now also provide access to a new **ASLLRP Sign Bank**, which makes it possible to view multiple productions, by different ASL signers, of signs of interest. When accessed from within SignStream®, information from the Sign Bank can also be directly entered into the annotations. Furthermore, when new SignStream® datasets are uploaded to DAI 2, the new signs—and new examples of existing signs—are readily added to the Sign Bank.

See the overview in Figure 1.




Figure 1. Publicly Shared ASL Linguistic Resources

2. Annotation Software

SignStream® 3 is a Java-based reimplementation of the original Mac Classic software (Neidle, Sclaroff, and Athitsos, 2001; Neidle, 2002), designed for linguistic annotation of video data. SignStream® provides an intuitive interface for labeling and time-aligning manual and non-manual components of the signing. SignStream® 3 has many new features. For example, version 3 enables encoding of morpho-phonological information, including sign type (lexical, fingerspelled, etc.) and number of hands. Handshape information is annotated through use of palettes (specifically for ASL handshapes), and start and end handshapes are displayed as icons left- and right-aligned with the corresponding gloss label; see Figure 2. It is also possible to scroll continuously from one utterance to the next. Version 3 also allows for multiple annotation tiers, well-suited to analysis of dialogs; see Figure 3.

This new Open Source version, released in 2017, is available from <http://www.bu.edu/asllrp/SignStream/3/> and requires MacOS 10.8 or higher. For further details about functionalities, see (Neidle, 2017).

3. Interfaces for Web Access to Corpora

We previously developed a Web-based **Data Access Interface (DAI)**³ for sharing our ASL video corpora created with SignStream® 2. The DAI facilitates browsing, search, and download of the data (Neidle and Vogler, 2012). The DAI was extended to provide access as well to the **American Sign Language Lexicon Video Dataset (ASLLVD)**, with ~10,000 citation-form examples (of ~3,000 signs) (Neidle, Thangali, and Sclaroff, 2012).

We have recently created a new **Data Access Interface, DAI 2**,⁴ because the new version of SignStream® incorporates significant enhancements to the annotations (now including handshape information, e.g.). Thus, the DAI needed to be extended for display of the richer repre-

¹ Gregory Dimitriadis is the principal developer for version 3.

² Augustine Opoku is the principal developer for DAI 2.

³ <http://secrets.rutgers.edu/dai/queryPages/>

⁴ <http://dai.cs.rutgers.edu>

sentations in our new **ASLLRP SignStream® 3 Corpus**. We have taken the opportunity to provide more powerful search functionalities, as well. It is now possible to search for characters in the gloss string (on the dominant and/or non-dominant hands), and type of sign (e.g., lexical, fin-

gerspelled, classifiers, or specific types of classifier, and to restrict the search to 1- or 2-handed signs and/or signs containing a particular start and/or end handshape on either or both hands. Searches can also be restricted to particular data sources or signers. It is also possible to search for utterances that contain specific types of non-manual events (e.g., raised eyebrows) or grammatical markings (e.g., wh-question). The user can select the view (front, side, close-up of the face) and play the video of the sign or the utterance containing the sign. This is shown in Figure 4.




Figure 2. Screen Shot from SignStream® 3 Utterance Window




Figure 3. Multiple Tiers – Facilitating Annotation of Dialogs within SignStream®

American Sign Language Linguistic Research Project (ASLLRP) Data Access Interface (DAI) 2 Version 1.0 Beta 1

Search - ASLLRP Linguistic Annotations and Video Files

ALWAYS

Whole Partial

Hand Dominant Non-Dominant Don't Care

All Signs All Signs [excl. Gestures] All Signs [excl. Gestures & CL]

Lexical Signs Loan Signs Fingerspelled Signs
 Number Signs Gestures

All Classifiers (# occurrences)

Body (e.g., BCL"put arms around friend") (0)
 Body Part (e.g., (2h)BPCLB"taps foot") (0)
 Descriptive (e.g., DCL"curly hair") (2)
 Instrument (e.g., ICL"playing jacks") (2)
 Locative (e.g., LCLB"leaf drifting to the ground") (3)
 Plural (e.g., PCL:4"long line of people") (1)
 Semantic (e.g., SCL:1"person walking stiffly") (18)

Only Compounds Only Non-Compounds Either

Restrict Search: Restrict your search to **non-compounds** with the following options:

1-handed 2-handed Name Signs

Restrict Search: Restrict your search to **lexical signs only**, also meeting these criteria:

Marked number of hands

Dominant Hand **Non-Dominant Hand (if present)**

Same start/end hs Same start/end hs
 Different start/end hs Different start/end hs

Start HS End HS Start HS End HS

Reduplicate

DataSource (6612)
 Participant (6612)
 Video Properties (No)

Utterance Search

Grammatical Construction (559)

- negative (169)
- wh question (20)
- yes-no question (20)
- rhetorical question (23)
 - rhq (23)
- topic/focus (275)
 - sentence-initial adverb (43)
 - focus (41) topic (191)
- conditional/when (50)
 - conditional (33) when (17)
- role shift (1)
- relative clause (1)

And (Combine grammatical construction or non-manual markings)

Non-manual Markings (6050)

- Head Position (1847)
- Head Movement (495)
 - head mvmt: nod (175)
 - slight slow head nod (3) slight single head nod (24)
 - rapid (52) slow (23) single (37) slight rapid head nod (36)
 - head mvmt: shake (227)
 - rapid (83) slow (60) single (23) slight rapid head shake (42) slight slow head shake (13)
 - slight single head shake (6)
 - head mvmt: side to side (13)
 - rapid (6) slow (1) single (6)
 - head mvmt: jut (80)
 - slightly forward (14) slightly forward (2) forward (44)
 - back (5) slightly back (13) further forward (2)

Figure 4. DAI 2 searches: Sign-level search (left) and utterance-level search (above); plus first two search results returned by the search for “ALWAYS” – offering option to play the sign or utterance video: front, side, or face close-up views (below)

File Name-Utterance	Utterance Video	Sign Video	View	Rough Gloss
Cory_2013-6-27_sc111-U2				cond/when: _____ when dh: IX-1p (1h)5"forget it* STUDY+ ALWAYS HIT fe-POP #QUIZ SICK/SILLY dh shape: ndh: _____ ndh shape: encl trans: There's always a pop quiz when I neglect my studying.
Cory_2013-6-27_sc111-U4				cond/when: _____ when negative: _____ neg dh: HAPPEN IX-1p NOT STUDY+ HIT ALWAYS #QUIZ part:indef dh shape: ndh: HAPPEN _____ ndh shape: encl trans: After not studying, there's always a pop quiz.

Material of interest can be designated for download according to user preferences. The download feature gives the user the ability to add utterances or entire SignStream® files to the download cart while browsing the various search results. The user can then initiate the download of the marked items from the download page (after selecting options, such as choice(s) of video views (Front, Face, Side)). The associated components (including video files and annotation, in XML format) will then be packaged and returned to the user in a compressed format (zip). The user can save the packages and return to them at a later date. This allows users to browse and add items to the cart on a low bandwidth connection and return to download the packaged items when they are on a faster Internet connection. The user can also create a download package and share the link to it with other users who can subsequently view and download the items in that package. After SignStream® files have been downloaded, they can also be opened using the SignStream® software to allow for further exploration by the user.

4. Sign Bank

DAI 2 also provides access to a new ASLLRP Sign Bank. The Sign Bank was initially comprised of the data from the ASLLVD, the American Sign Language Lexicon Video Dataset (Sclaroff et al., 2010; Thangali et al., 2011; Neidle, Thangali, and Sclaroff, 2012), consisting of almost 10,000 examples of almost 3,000 distinct signs, in citation form. However, DAI 2 provides a simple mechanism for adding new signs to the Sign Bank as new data get added to our continuous signing corpora. Since these signs are clipped from continuous video, however, they are different in appearance from recordings of signs produced in citation form. In the future, we plan to video-record citation-form examples of the newer. Nonetheless, for the time being, this allows us to expand the collection of signs and signers in the Sign Bank and also to offer users examples of sentences containing particular signs.

Figure 5 shows a Sign Bank search via DAI 2. The user can search for a text string, and for properties of the sign, including start and end handshapes. The search results are

displayed; it is possible to view any or all of the examples of a given sign, as well as the containing utterances.⁵

5. Access to the Sign Bank from within SignStream®

SignStream® users can search the Sign Bank for the sign they wish to annotate. See Figure 6 below. Thus users can ensure that the gloss label chosen is consistent with the

glossing of previous examples of the same sign. Furthermore, if the desired sign is found in the Sign Bank, then it can be entered directly into the annotation with its associated properties and handshapes. The user can further edit if modifications are necessary. If the sign in question is not already in the Sign Bank, the user can add the sign to their local Sign Bank so the information will be available for subsequent annotations.




Figure 5. Sign Bank–Access from DAI 2: Sample Search for Text String AGAINST in Gloss. User can display all occurrences and play sign videos or composite video of all productions together.




Figure 6. Sign Bank–Access from within SignStream®: Sign labels & properties can be copied directly into annotations

⁵ There is another “sign bank” project under development for ASL (Hochgesang, Crasborn, and Lillo-Martin, 2017), but this is not yet shared publicly, so it is difficult to compare with ours. “Sign bank” projects for other signed languages (e.g., Auslan, BSL, NGT, FinSL, and Swiss German Sign Language (DSGS)) are somewhat different in nature from ours; they tend to be more dictionary-like (see, e.g., <https://github.com/signbank/>).

6. Available New Data

The ASLLRP SignStream® 3 Corpus is shared through the DAI 2 interface. It is an expanding collection; files are added as verifications of the annotations are completed. The corpus includes 3 different ASL signers, and the shared data (as of February 2018) include over 6,000 sign tokens, in just over 300 total utterances, from 2 signers.

The data were elicited in an open-ended way. We explained to our ASL consultants that we were interested in a wide range of different types of constructions (e.g., questions, negations, conditional sentences, etc.) and they were asked to come up with a set of sentences that were natural for them to produce. They were given no specific directions about content or structure. Subsequent signers were shown the examples produced by the earlier signers and asked to produce, in general, similar types of sentences.

7. Value for Research, Education, and Potential Future Applications

The video data and annotations have been used by our extended research team and by others for linguistic and computational research on ASL. Linguistic and computer science research by others (including students) that has made use of our data and software over the years includes, e.g., among many others: (Goldenstein, Vogler, and Velho, 2005; Vogler and Goldenstein, 2005; Zahedi et al., 2005; Zahedi, Keysers, and Ney, 2005a; b; Goldenstein and Vogler, 2006; Grossman and Kegl, 2006; Rybach, 2006; Zahedi et al., 2006a; Zahedi et al., 2006b; Ciaramello and Hemami, 2007; Davidson, Caponigro, and Mayberry, 2008; Forster, 2008; Hendriks, 2008; Roh and Lee, 2008; Vogler and Goldenstein, 2008b; a; Weast, 2008; Williford, 2008; Yang, Sclaroff, and Lee, 2009; Yang and Lee, 2010; Caponigro and Davidson, 2011; Kamman, 2012; Nguyen and Ranganath, 2012; Greene, 2013; Yang and Lee, 2013; Wolfe et al., 2014; Roush, 2015; Toman and Kuefler, 2015; Boulares and Jemni, 2016; Costello, 2016; Kim et al., 2016; Lim, Tan, and Tan, 2016b; a; Raud, 2016; Roush, 2016; Elakkiya and Selvamani, 2017; Kumar, 2017).

Our own research on computer-based recognition of manual signs and of non-manual grammatical information has also greatly benefited from use of these data, e.g.: (Athitsos, 2006; Duffy, 2007; Thangali et al., 2011; Liu et al., 2012; Metaxas et al., 2012; Liu et al., 2013; Thangali, 2013; Dilsizian et al., 2014; B. Liu et al., 2014; J. Liu et al., 2014; Neidle et al., 2014; Mark Dilsizian et al., 2016; M. Dilsizian et al., 2016; Yanovich, Neidle, and Metaxas, 2016; Metaxas, Dilsizian, and Neidle, 2018). Most recently, we have shown high accuracy and scalability in recognition of signs from our Sign Bank, using model-based machine learning, with incorporation of linguistically relevant features and constraints (Metaxas, Dilsizian, and Neidle, 2018). For a vocabulary of 350 signs from our Sign Bank, we achieve recognition accuracy of 93.3%. In 97.9% of the cases, the correct sign is within the top 5 results.

What this means is that we can envision development of a user interface that would allow a user to search for a sign in our Sign Bank in one of two ways: either by producing the sign in front of a webcam, or by selecting a sign by identifying its start and end points from a continuous

video. The user could then be offered 5 (e.g.) likely options, in order of decreasing likelihood, with the option to play any of those signs to confirm or disconfirm the correctness of the sign identification. This is illustrated in Figure 7. The user could then be taken to the relevant information in our Sign Bank. This could also be used from within SignStream® to facilitate the annotation process, especially for signs that the user may not know how to gloss. This interface could also be used as an entryway to other ASL resources, e.g., to enable sign lookup in an ASL dictionary. We intend to pursue research to make such a lookup interface a reality.




Figure 7. Example of Choices to be Offered to a User before Confirmation of a Lookup Selection – Based on the Interface for our Current ASLLRP Sign Bank

These tools also have obvious applications to education, for those teaching/learning ASL.

8. Planned Enhancements

In addition to developing lookup capabilities just described for navigation through our own resources, we are also currently working to expand the functionalities of both SignStream® and DAI 2 to allow display of computer-generated analyses of the relevant video. In particular, we now have the ability to produce graphs from the close-up face view to illustrate changes, over time, in eyebrow height, eye aperture, and head rotation along the 3 axes. See Figure 8 and our website with examples (ASLLRP, 2016). This will provide valuable information for linguists




Figure 8. Computer-generated Graphical Information about Facial Expressions

tic and computational research on ASL of a kind that has not been available to date over large datasets. Ultimately such technology will also enable semi-automatic transcription of sign language data.

9. Acknowledgements

Special thanks to Christian Vogler (Gallaudet University) for his implementation of the original DAI, and to Stan Sclaroff and Ashwin Thangali for providing support at Boston University and especially for their important roles in the development of the ASLLVD. For a more comprehensive list of the language consultants and the many students and colleagues at Boston, Rutgers, and Gallaudet Universities who have contributed to these efforts, see <http://www.bu.edu/asllrp/SignStream/3>. This research has been partially supported by the National Science Foundation (grants #1748016, 1748022, 1059218, 0705749, 0958247, 1703883, 1567289, 1555408, 1451292, 1447037).

8. Bibliographical References

- ASLLRP (2016) The American Sign Language Linguistic Resource Project, ASL feature tracking and identification of non-manual expressions of linguistic significance : Data visualizations. <http://www.bu.edu/av/asllrp/NM/>.
- Athitsos, V. (2006) Learning Embeddings for Indexing, Retrieval, and Classification, with Applications to Object and Shape Recognition in Image Databases. Doctoral Dissertation, Boston University, Boston, MA.
- Boulares, M. and Jemni, M. (2016) Learning sign language machine translation based on elastic net regularization and latent semantic analysis. *Artificial Intelligence Review*, 46(2), pp. 145-166.
- Caponigro, I. and Davidson, K. (2011) Ask, and tell as well: Question–Answer Clauses in American Sign Language. *Natural Language Semantics*, 19(4), pp. 323–371.
- Ciaramello, F.M. and Hemami, S.S. (2007). 'Can you see me now?' An objective metric for predicting intelligibility of compressed American Sign Language video. *Proceedings of the SPIE Vol. 6492, Human Vision and Electronic Imaging 2007, San Jose, CA*.
- Costello, B.D.N. (2016) Language and modality: Effects of the use of space in the agreement system of lengua de signos española (Spanish Sign Language). Unpublished PhD, University of Amsterdam.
- Davidson, K., Caponigro, I., and Mayberry, R. (2008). Clausal question-answer pairs: Evidence from American Sign Language. *Proceedings of the 27th West Coast Conference on Formal Linguistics (WCCFL 27)*.
- Dilsizian, M., Yanovich, P., Wang, S., Neidle, C., and Metaxas, D. (2014). New Framework for Sign Recognition based on 3D Handshape Identification and Linguistic Modeling. *Proceedings of LREC 2014, Reykjavik, Iceland. May 2014*.
- Dilsizian, M., Tang, Z., Metaxas, D., Huenerfauth, M., and Neidle, C. (2016). The Importance of 3D Motion Trajectories for Computer-based Sign Recognition. *Proceedings of the 7th Workshop on the Representation and Processing of Sign Languages: Corpus Mining. LREC 2016. Slovenia, May 2016*.
- Dilsizian, M., Tang, Z., Metaxas, D., Huenerfauth, M., and Neidle, C. (2016). The Importance of 3D Motion Trajectories for Computer-based Sign Recognition. *Proceedings of the 7th Workshop on the Representation and Processing of Sign Languages: Corpus Mining. LREC 2016, Portorož, Slovenia. May 2016*.
- Duffy, Q. (2007) The ASL Perfect Formed by Preverbal FINISH. Unpublished MA thesis, Boston University, Boston, MA.
- Elakkiya, R. and Selvamani, K. (2017) Extricating Manual and Non-Manual Features for Subunit Level Medical Sign Modelling in Automatic Sign Language Classification and Recognition. *Journal of Medical Systems*, 41.
- Forster, J. (2008) An Integrated Tracking And Recognition Approach For Video. Unpublished Master's Thesis, RWTH Aachen University, Germany.
- Goldenstein, S., Vogler, C., and Velho, L. (2005) Adaptive Deformable Models for Graphics and Vision. *Computer Graphics Forum*, 24(4), pp. 729-741.
- Goldenstein, S. and Vogler, C. (2006). When Occlusions are Outliers. *Proceedings of the Workshop on the 25 Years of RANSAC (in conjunction with CVPR)*.
- Greene, D.J. (2013) Keeping it Vague: A Study of Vague Language in an American Sign Language Corpus and Implications for Interpreting between American Sign Language and English. Unpublished MA thesis, Western Oregon University.
- Grossman, R.B. and Kegl, J. (2006) To Capture a Face: A Novel Technique for the Analysis and Quantification of Facial Expressions in American Sign Language. *Sign Language Studies*, 6(3), pp. 273-305.
- Hendriks, B. (2008) Jordanian Sign Language: aspects of grammar from a cross-linguistic perspective. Unpublished.
- Hochgesang, J.A., Crasborn, O., and Lillo-Martin, D. (2017) Building the ASL Signbank on the Shoulders of Giants. Poster presented at the CL2017 Pre-Conference Workshop 3: Corpus-based approaches to sign language linguistics: Into the second decade. University of Birmingham, July 24.
- Kammann, J. (2012) The Role of Phonology and Semantics in the Lexical Processing of ASL Core lexical Items and Classifier Constructions. Unpublished MA thesis, University of New Mexico.
- Kim, J.-H., Kim, N., Park, H., and Park, J.C. (2016) Enhanced Sign Language Transcription System via Hand Tracking and Pose Estimation. *Journal of Computing Science and Engineering, September 2016*, 10(3), pp. 95-101.

- Kumar, N. (2017). Motion Trajectory based Human Face and Hands Tracking for Sign Language Recognition. *Proceedings of the the 4th IEEE Uttar Pradesh Section International Conference on Electrical, Computer and Electronics (UPCON) GLA University, Mathura, Oct 26-28, 2017*.
- Lim, K.M., Tan, A.W.C., and Tan, S.C. (2016a) Block-based histogram of optical flow for isolated sign language recognition. *J. Vis. Commun. Image R.*, 40, pp. 538–545.
- Lim, K.M., Tan, A.W.C., and Tan, S.C. (2016b) A feature covariance matrix with serial particle filter for isolated sign language recognition. *Expert Systems with Applications*, 54, pp. 208–218.
- Liu, B., Kosmopoulos, D., Dilsizian, M., Yang, P., Neidle, C., and Metaxas, D. (2012) Detection and Classification of Non-manual Grammatical Markers in American Sign Language (ASL). In, Poster presented at the 2nd Multimedia and Vision Meeting in the Greater New York Area, Columbia University, New York City, NY, June 15, 2012.
- Liu, B., Liu, J., Yu, X., Metaxas, D., and Neidle, C. (2014). 3D Face Tracking and Multi-scale, Spatio-temporal Analysis of Linguistically Significant Facial Expressions and Head Positions in ASL. *Proceedings of LREC 2014, Rejkjavik, Iceland. May 2014*.
- Liu, J., Liu, B., Zhang, S., Yang, F., Yang, P., Metaxas, D.N., and Neidle, C. (2013) Non-manual Grammatical Marker Recognition based on Multi-scale Spatial Temporal Analysis of Head Pose and Face. In *Proceedings of the 10th IEEE International Conference on Automatic Face and Gesture Recognition, Shanghai, China, April 25, 2013*.
- Liu, J., Liu, B., Zhang, S., Yang, F., Yang, P., Metaxas, D.N., and Neidle, C. (2014) Non-manual Grammatical Marker Recognition based on Multi-scale Spatio-temporal Analysis of Head Pose and Facial Expressions. *Image and Vision Computing Journal (Special issue: The Best of Face and Gesture 2013)*, 32(10), pp. 671-681.
- Metaxas, D., Liu, B., Yang, F., Yang, P., Michael, N., and Neidle, C. (2012). Recognition of Nonmanual Markers in American Sign Language (ASL) Using Non-Parametric Adaptive 2D-3D Face Tracking. *Proceedings of the 5th Workshop on the Representation and Processing of Sign Languages: Interactions between Corpus and Lexicon. LREC 2012, Istanbul, Turkey. May 2012*.
- Metaxas, D., Dilsizian, M., and Neidle, C. (2018). Linguistically-driven Framework for Computationally Efficient and Scalable Sign Recognition. *Proceedings of LREC 2018, Miyagawa, Japan. May 2018*.
- Neidle, C., Sclaroff, S., and Athitsos, V. (2001) SignStream™: A Tool for Linguistic and Computer Vision Research on Visual-Gestural Language Data. *Behavior Research Methods, Instruments, and Computers*, 33(3), pp. 311-320.
- Neidle, C. (2002) SignStream™: A Database Tool for Research on Visual-Gestural Language. *Journal of Sign Language and Linguistics*, 4(1/2), pp. 203-214.
- Neidle, C., Thangali, A., and Sclaroff, S. (2012). Challenges in Development of the American Sign Language Lexicon Video Dataset (ASLLVD) Corpus. *Proceedings of the 5th Workshop on the Representation and Processing of Sign Languages: Interactions between Corpus and Lexicon. LREC 2012, Istanbul, Turkey. May 2012*.
- Neidle, C. and Vogler, C. (2012). A New Web Interface to Facilitate Access to Corpora: Development of the ASLLRP Data Access Interface (DAI). *Proceedings of the 5th Workshop on the Representation and Processing of Sign Languages: Interactions between Corpus and Lexicon. LREC 2012, Istanbul, Turkey. May 2012*.
- Neidle, C., Liu, J., Liu, B., Peng, X., Vogler, C., and Metaxas, D. (2014). Computer-based tracking, analysis, and visualization of linguistically significant non-manual events in American Sign Language (ASL). *Proceedings of the 6th Workshop on the Representation of Signed Languages: Beyond the Manual Channel. LREC 2014, Rejkjavik, Iceland. May 2014*.
- Neidle, C. (2017) A User's Guide to SignStream® 3. Boston, MA: American Sign Language Linguistic Research Project Report No. 16, Boston University.
- Nguyen, T.D. and Ranganath, S. (2012) Facial expressions in American Sign Language: Tracking and recognition. *Pattern Recognition*, 45(5), pp. 1877–1891.
- Raud, A.L. (2016) Spatial Metaphors in American English and American Sign Language. Unpublished, BA Thesis, Tallinn University, Estonia.
- Roh, M.-C. and Lee, S.-W. (2008) A Semi-Dynamic Bayesian Network for Human Gesture Recognition. *2008 IEEE International Conference on Systems, Man, and Cybernetics (SMC 2008)*, pp. 644-649.
- Roush, D.R. (2015) The Translation of Event-Structure Metaphors Rendered by Deaf Translators from English to American Sign Language. In *Order No. 3663049 Gallaudet University, 2015*.
- Roush, D.R. (2016) The Expression of the Location Event-Structure Metaphor in American Sign Language. *Sign Language Studies*, 16(3), pp. 389-432.
- Rybach, D. (2006) Appearance-Based Features for Automatic Continuous Sign Language Recognition. Unpublished Master's Thesis, RWTH Aachen University, Germany.
- Sclaroff, S., Athitsos, V., Neidle, C., Nash, J., Stefan, A., Thangali, A., Wang, H., and Yuan, Q. (2010) American Sign Language Lexicon Project: Video Corpus and Indexing/Retrieval Algorithms. Poster presented at the International Workshop on Computer Vision (IWCV), Vietri Sul Mare, Salerno, Italy. May 25-27, 2010.
- Thangali, A., Nash, J.P., Sclaroff, S., and Neidle, C. (2011). Exploiting Phonological Constraints for Handshape Inference in ASL Video. *Proceedings of the IEEE International Conference on Computer Vision and Pattern Recognition (CVPR) 2011*.
- Thangali, A. (2013) Exploiting Phonological Constraints for Handshape Recognition in Sign Language Video. Unpublished, Doctoral Dissertation, Boston University.

- Toman, P. and Kuefler, A. (2015) Classifying Non-manual Markers in American Sign Language. In *Class project, Stanford University*, http://cs229.stanford.edu/proj2015/154_report.pdf.
- Vogler, C. and Goldenstein, S. (2005) Analysis of facial expressions in American Sign Language. In: Proceedings of the 3rd Intl. Conf. on Universal Access in Human-Computer Interaction (UAHCI) 2005.
- Vogler, C. and Goldenstein, S. (2008a) Facial movement analysis in ASL. *Universal Access in the Information Society*, 6(4), pp. 363-374.
- Vogler, C. and Goldenstein, S. (2008b) Toward computational understanding of sign language. *Technology and Disability: Electronic speech processing for persons with disabilities*, 20(2), pp. 109-119.
- Weast, T.P. (2008) Questions in American Sign Language: A quantitative analysis of raised and lowered eyebrows. Unpublished Doctoral dissertation, University of Texas, Arlington.
- Williford, L.L. (2008) Frequency of Classifier Constructions in American Sign Language. Unpublished MA Thesis, University of Pittsburgh, PA.
- Wolfé, R., McDonald, J.C., Berke, L., and Stumbo, M. (2014). Expanding n-gram analytics in ELAN and a case study for sign synthesis. *Proceedings of LREC 2014*.
- Yang, H.-D., Sclaroff, S., and Lee, S.-W. (2009) Sign Language Spotting with a Threshold Model Based on Conditional Random Fields. *IEEE Trans. on Pattern Analysis and Machine Intelligence (PAMI)*, July 2009, 31(7), pp. 1264-1277.
- Yang, H.-D. and Lee, S.-W. (2010) Simultaneous spotting of signs and fingerspellings based on hierarchical conditional random fields and boostmap embeddings. *Pattern Recognition*, 43(8), pp. 2858–2870.
- Yang, H.-D. and Lee, S.-W. (2013) Robust sign language recognition by combining manual and non-manual features based on conditional random field and support vector machine. *Pattern Recognition Letters*, 34(16), pp. 2051-2056.
- Yanovich, P., Neidle, C., and Metaxas, D. (2016). Detection of Major ASL Sign Types in Continuous Signing for ASL Recognition. *Proceedings of LREC 2016, Portorož, Slovenia. May 2016*.
- Zahedi, M., Keysers, D., Deselaers, T., and Ney, H. (2005) Combination of Tangent Distance and an Image Distortion Model for Appearance-Based Sign Language Recognition. In *Pattern Recognition*, Berlin / Heidelberg: Springer. pp. 401-408.
- Zahedi, M., Keysers, D., and Ney, H. (2005a). Pronunciation clustering and modeling of variability for appearance-based sign language recognition. *Proceedings of the International Gesture Workshop 2005, Vannes, France, May 2005*.
- Zahedi, M., Keysers, D., and Ney, H. (2005b). Appearance-based recognition of words in American Sign Language. *Proceedings of the IbPRIA 2005, 2nd Iberian Conference on Pattern Recognition and Image Analysis, June 2005.*, Estoril, Portugal.
- Zahedi, M., Dreuw, P., Rybach, D., Deselaers, T., Bungeroth, J., and Ney, H. (2006a). Continuous Sign Language Recognition – Approaches from Speech Recognition and Available Data Resources. *Proceedings of the Workshop on the Representation and Processing of Sign Languages: Lexicographic Matters and Didactic Scenarios, LREC 2006, Genoa, Italy*.
- Zahedi, M., Dreuw, P., Rybach, D., Deselaers, T., and Ney, H. (2006b). Geometric Features for Improving Continuous Appearance-based Sign Language Recognition. *Proceedings of the British Machine Vision Conference, Edinburgh, UK*.